

Article number 141265, 101358, 141302, 141265OV, 141265OVC1

Beco Technic GmbH

21502 Geesthacht

Date printed 21.04.2023, Revision 21.04.2023

Version 2.0. Supersedes version: 1.0

HELI

Page 1 / 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Lederband Deospray

Article number: 141265, 101358, 141302, 141265OV, 141265OVC1, 113046

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Cleaning agent

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Beco Technic GmbH

Hermsdorfer Str. 5

21502 Geesthacht / GERMANY Phone +49 (0) 41 52 / 80 96 56 Fax +49 (0) 41 52 / 80 96 96 Homepage www.beco-technic.com E-mail service@beco-lifestyle.com

Address enquiries to

Technical information service@beco-lifestyle.com

Safety Data Sheet sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body +49 (0) 551-19240 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

The product does not require a hazard warning label in accordance with regulation CLP.

Hazard pictograms none
Signal word none
Hazard statements none
Precautionary statements none

Cleaner, 648/2004/CE, contains: < 5% amphoteric surfactants

perfumes

2.3 Other hazards

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Environmental hazards This substance/mixture contains no components considered to be either persistent,

bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels

of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

2017/2100 of Commission Regulation (EG) 2010/000 at lovels of C.170 of high

Other hazards Further hazards were not determined with the current level of knowledge.



Article number 141265, 101358, 141302, 1412650V, 1412650VC1

Beco Technic GmbH

21502 Geesthacht

Page 2 / 13 Version 2.0. Supersedes version: 1.0 Date printed 21.04.2023, Revision 21.04.2023

SECTION 3: Composition / Information on ingredients

Substances 3.1

not applicable

Mixtures 3.2

The product is a mixture.

Range [%]	Substance
1-<3	Propan-2-ol
	CAS: 67-63-0, EINECS/ELINCS: 200-661-7, EU-INDEX: 603-117-00-0, Reg-No.: 01-2119457558-25-XXXX
	GHS/CLP: Flam. Liq. 2: H225 - Eye Irrit. 2: H319 - STOT SE 3: H336
1-<3	2-Butoxyethanol
	CAS: 111-76-2, EINECS/ELINCS: 203-905-0, EU-INDEX: 603-014-00-0
	GHS/CLP: Acute Tox 4: H302 - Acute Tox 3: H331 - Eve Irrit 2: H319 - Skin Irrit 2: H315

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

Description of first aid measures **4**.

Take off contaminated clothing and wash before reuse. General information

Inhalation

Ensure supply of fresh air. In the event of symptoms seek medical treatment.

In case of contact with skin wash off with warm water. Consult a doctor if skin irritation persists. Skin contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Eye contact

Consult a doctor immediately.

Ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting.

Most important symptoms and effects, both acute and delayed 4.2

None known.

Indication of any immediate medical attention and special treatment needed 4.3

If swallowed or in the event of vomiting, risk of product entering the lungs.

Treat symptomatically.

SECTION 5: Fire-fighting measures

Extinguishing media 5.1

Product itself is non-combustible. Fire extinguishing method of surrounding areas must be considered. Suitable extinguishing media

none Extinguishing media that must not be used

Special hazards arising from the substance or mixture 5.2

No information available.

Advice for firefighters 5.3

Use self-contained breathing apparatus.

Collect contaminated firefighting water separately, must not be discharged into the drains. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

*IJUH T

Lederband Deospray

Article number 141265, 101358, 141302, 1412650V, 1412650VC1

Beco Technic GmbH

21502 Geesthacht

Version 2.0. Supersedes version: 1.0 Date printed 21.04.2023, Revision 21.04.2023

Page 3 / 13

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1

Wear suitable protective equipment. For personal protection see SECTION 8.

High risk of slipping due to leakage/spillage of product.

Environmental precautions 6.2

Do not discharge into the drains/surface waters/groundwater.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Methods and material for containment and cleaning up 6.3

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous

earth).

Dispose of absorbed material in accordance within the regulations.

Reference to other sections 6.4

See SECTION 8+13

Precautions for safe handling **SECTION 7: Handling and storage** 7.1

Avoid contact with eyes and skin. Use personal protective equipment.

Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Wash hands before breaks and after work.

Use barrier skin cream.

Conditions for safe storage, including any incompatibilities 7.2

Prevent penetration into the ground.

Keep only in original container.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Specific end use(s) 7.3

See product use, SECTION 1.2



Article number 141265, 101358, 141302, 1412650V, 1412650VC1

Beco Technic GmbH

21502 Geesthacht

Version 2.0. Supersedes version: 1.0 Date printed 21.04.2023, Revision 21.04.2023

Page 4 / 13

SECTION 8: Exposure controls / personal protection

Control parameters 8.1

Ingredients with occupational exposure limits to be monitored (GB)

Substance

CAS: 111-76-2, EINECS/ELINCS: 203-905-0, EU-INDEX: 603-014-00-0 2-Butoxyethanol

Long-term exposure: 25 ppm, 123 mg/m³, Sk, BMGV

Short-term exposure (15-minute): 50 ppm, 246 mg/m³

Propan-2-ol

CAS: 67-63-0, EINECS/ELINCS: 200-661-7, EU-INDEX: 603-117-00-0, Reg-No.: 01-2119457558-25-XXXX

Long-term exposure: 400 ppm, 999 mg/m³

Short-term exposure (15-minute): 500 ppm, 1250 mg/m³

Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES

2-Butoxyethano

CAS: 111-76-2, EINECS/ELINCS: 203-905-0, EU-INDEX: 603-014-00-0

Eight hours: 20 ppm, 98 mg/m³, H

Short-term (15-minute): 50 ppm, 246 mg/m³

DNEL

Substance

Propan-2-ol, CAS: 67-63-0

Industrial, inhalative (vapor), Long-term - systemic effects, 500 mg/m³

Industrial, dermal, Long-term - systemic effects, 888 mg/kg bw/day

general population, inhalative (vapor), Long-term - systemic effects, 89 mg/m³

general population, dermal, Long-term - systemic effects, 319 mg/kg bw/day

general population, oral, Long-term - systemic effects, 26 mg/kg

PNEC

Substance

Propan-2-ol, CAS: 67-63-0

oral (food), 160 mg/kg

sewage treatment plants (STP), 2251 mg/l

freshwater, 140.9 mg/l

sediment (freshwater), 552 mg/kg

sediment (seawater), 552 mg/kg

seawater, 140.9 mg/l

soil, 28 mg/kg



Article number 141265, 101358, 141302, 1412650V, 1412650VC1

Beco Technic GmbH

21502 Geesthacht

Page 5 / 13 Version 2.0. Supersedes version: 1.0 Date printed 21.04.2023, Revision 21.04.2023

Exposure controls 8.2

No special measures necessary. Additional advice on system design

If there is a risk of splashing: safety glasses Eye protection

Hand protection

> 0.11 mm. butyl rubber, > 120 min (EN 374)
The details concerned are recommendations. Please contact the glove supplier for further information.

Not required under normal conditions. Skin protection

Avoid contact with eyes and skin.

Other

Not required under normal conditions. none Respiratory protection Thermal hazards

Comply with applicable environmental regulations limiting discharge to air, water and soil. Delimitation and monitoring of the

SECTION 9: Physical and chemical properties

environmental exposition

Information on basic physical and chemical properties 9.1

Liquid Physical state

liquid

various Color characteristic Odor

No information available. No information available. Odour threshold pH-value

No information available. pH-value [1%]

No information available. Boiling point [°C]

not applicable not applicable Flash point [°C] **Flammability**

not applicable Lower explosion limit

not applicable

Upper explosion limit

none Oxidising properties

No information available. Vapour pressure/gas pressure [kPa]

No information available. Density [g/cm³]

No information available. not applicable Bulk density [kg/m³] Relative density

No information available. completely miscible Solubility other solvents Solubility in water

No information available. not applicable Partition coefficient [n-octanol/water] Kinematic viscosity

No information available. Relative vapour density No information available. Evaporation speed

No information available. Melting point [°C]

No information available. Auto-ignition temperature [°C]

No information available. not applicable Decomposition temperature [°C]

Particle characteristics

Other information

9.2

none

Lederband Deospray

Article number 141265, 101358, 141302, 1412650V, 1412650VC1

Beco Technic GmbH

21502 Geesthacht

Version 2.0. Supersedes version: 1.0 Date printed 21.04.2023, Revision 21.04.2023

Page 6 / 13

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No decomposition if used and stored according to specifications.



Article number 141265, 101358, 141302, 1412650V, 1412650VC1

Beco Technic GmbH

21502 Geesthacht

Page 7 / 13 Version 2.0. Supersedes version: 1.0 Date printed 21.04.2023, Revision 21.04.2023

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

ATE-mix, oral, > 2000 mg/kg

Substance

Propan-2-ol, CAS: 67-63-0

LC50, oral, Rat, 5045 mg/kg (RTECS)

LD0, oral, Human, 3570 mg/kg (RTECS)

2-Butoxyethanol, CAS: 111-76-2

LD50, oral, Guinea pig, 1414 mg/kg

LD50, oral, Rat, 1746 mg/kg (OECD 401)

ATE, oral, 1200 mg/kg bw

Acute dermal toxicity

Product

Based on the available information, the classification criteria are not fulfilled

Substance

Propan-2-ol, CAS: 67-63-0

LD50, dermal, Rabbit, 12800 mg/kg (RTECS)

2-Butoxyethanol, CAS: 111-76-2

LD50, dermal, Guinea pig, > 2000 mg/kg (OECD 402)

Acute inhalational toxicity

Product

20 mg/l, 4h ATE-mix, inhalation (vapour), >

Substance

Propan-2-ol, CAS: 67-63-0

LC50, inhalative, Rat, 72.6 mg/l/4h (RTECS)

2-Butoxyethanol, CAS: 111-76-2

LC0, inhalation (vapour), Guinea pig, > 3.1 mg/l/1h

ATE, inhalation (vapour), 3 mg/L, Category 3,

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Eye, Rabbit, irritant

Propan-2-ol, CAS: 67-63-0

2-Butoxyethanol, CAS: 111-76-2

Study, irritant

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Propan-2-ol, CAS: 67-63-0

dermal, Rabbit, irritant

MEC!

Lederband Deospray

Article number 141265, 101358, 141302, 1412650V, 1412650VC1

Beco Technic GmbH

21502 Geesthacht

Page 8 / 13 Version 2.0. Supersedes version: 1.0 Date printed 21.04.2023, Revision 21.04.2023

2-Butoxyethanol, CAS: 111-76-2

Study, irritant

Based on the available information, the classification criteria are not fulfilled Respiratory or skin sensitisation

Propan-2-ol, CAS: 67-63-0

dermal, Guinea pig, OECD 406, non-sensitizing

2-Butoxyethanol, CAS: 111-76-2

dermal, Guinea pig, OECD 406, non-sensitizing

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled

Substance

2-Butoxyethanol, CAS: 111-76-2

inhalative, non-irritating

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity repeated exposure

Substance

Propan-2-ol, CAS: 67-63-0

NOAEC, inhalative, Rat, 12500 mg/m³, OECD 451, negativ

2-Butoxyethanol, CAS: 111-76-2

LOAEL, oral, Rat, 69 mg/kg bw/day, Study, negativ

LOAEC, inhalative, Rat, 152 mg/m³, Study, negativ

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Propan-2-ol, CAS: 67-63-0

OECD 476, negativ

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Reproduction toxicity

Substance

Propan-2-ol, CAS: 67-63-0

oral, Rat, 596 mg/kg bw/day, OECD 414, negativ

2-Butoxyethanol, CAS: 111-76-2

NOAEL, oral, Rat, 720 mg/kg bw/day, Study, negativ

- Development

Substance

Propan-2-ol, CAS: 67-63-0

oral, Rat, 596 mg/kg bw/day, OECD 414, negativ

2-Butoxyethanol, CAS: 111-76-2

NOAEL, oral, Rat, 720 mg/kg bw/day, Study, negativ

Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Propan-2-ol, CAS: 67-63-0

www.chemiebuero.de, Phone +49 (0)941-646 353-0, 230418

*IJUH T

Lederband Deospray

101358, 141302, 1412650V, 1412650VC1 Article number 141265,

Beco Technic GmbH

21502 Geesthacht

Page 9 / 13 Version 2.0. Supersedes version: 1.0 Date printed 21.04.2023, Revision 21.04.2023

NOAEC, inhalative, Rat, 12 290 mg/m³, OECD 451, negativ

2-Butoxyethanol, CAS: 111-76-2

NOAEC, inhalative, Rat, 125 mg/m3, Study, negativ

Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

11.2 Information on other hazards Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other information

none

SECTION 12: Ecological information

12.1 Toxicity

Substance

Propan-2-ol, CAS: 67-63-0

LC50, (96h), Lepomis macrochirus, 1400 mg/l (ECOTOX-Database)

EC50, (48h), Daphnia magna, > 13000 mg/l (IUCLID)

IC50, (72h), Scenedesmus quadricauda (algea), > 1000 mg/l (IUCLID)

2-Butoxyethanol, CAS: 111-76-2

LC50, (96h), Oncorhynchus mykiss, 1474 mg/l (OECD 203)

EC50, (72h), Pseudokirchneriella subcapitata, 1840 mg/l (OECD 201)

EC50, (48h), Daphnia magna, 1550 mg/l (OECD 202)

EC0, (16h), Pseudomonas putida, 700 mg/l (DIN 38412)

NOEL, (21d), Daphnia magna, 100 mg/l (OECD 211)

NOEL, (21d), Brachidanio rerio, > 100 mg/l

12.2 Persistence and degradability

No information available. Behaviour in environment

compartments

No information available. Behaviour in sewage plant Biological degradability

The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of

a detergent manufacturer.

12.3 Bioaccumulative potential

No information available.

Mobility in soil 12.4 No information available.

Results of PBT and vPvB assessment 12.5 Based on all available information not to be classified as PBT or vPvB respectively.

*IJUH HUL

Lederband Deospray

Article number 141265, 101358, 141302, 141265OV, 141265OVC1

Beco Technic GmbH

21502 Geesthacht

Page 10 / 13 Version 2.0. Supersedes version: 1.0 Date printed 21.04.2023, Revision 21.04.2023

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other adverse effects 12.7

Ecological data of complete product are not available.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

Waste treatment methods 13.1

regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local

Product

Coordinate disposal with the authorities if necessary.

200130 detergents other than those mentioned in 20 01 29 Waste no. (recommended)

Contaminated packaging

Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.

150102

Waste no. (recommended)

SECTION 14: Transport information

UN number or ID number 14.1

not applicable Transport by land according to ADR/RID

not applicable

Inland navigation (ADN)

not applicable Marine transport in accordance with

MDG

Air transport in accordance with IATA not applicable


UN proper shipping name 14.2

NO DANGEROUS GOODS Transport by land according to

ADR/RID

NO DANGEROUS GOODS Inland navigation (ADN) NOT CLASSIFIED AS "DANGEROUS GOODS" Marine transport in accordance with MDG Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

HELL



Article number 141265, 101358, 141302, 1412650V, 1412650VC1 Lederband Deospray

Beco Technic GmbH

21502 Geesthacht

Page 11 / 13 Version 2.0. Supersedes version: 1.0

Date printed 21.04.2023, Revision 21.04.2023

14.3 Transport hazard class(es)

not applicable

Transport by land according to ADR/RID

not applicable Inland navigation (ADN)

not applicable Marine transport in accordance with

IMDG

Air transport in accordance with IATA not applicable

Packing group 14.4

not applicable Transport by land according to ADR/RID

not applicable Marine transport in accordance with IMDG

not applicable

Inland navigation (ADN)

Air transport in accordance with IATA not applicable

Environmental hazards 14.5

2 Transport by land according to ADR/RID

2

Inland navigation (ADN)

2 Marine transport in accordance with IMDG

Air transport in accordance with IATA no

Special precautions for user 14.6

Relevant information under SECTION 6 to 8.

Maritime transport in bulk according to IMO instruments 14.7

not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

EEC-REGULATIONS

2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014

ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023) TRANSPORT-REGULATIONS

EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP. NATIONAL REGULATIONS (GB):

none Observe employment restrictions

for people

ca. 2 % - VOC (2010/75/CE)



Article number 141265, 101358, 141302, 141265OV, 141265OVC1

Beco Technic GmbH

21502 Geesthacht

Date printed 21.04.2023, Revision 21.04.2023

Version 2.0. Supersedes version: 1.0

15.2 Chemical safety assessment

For the following substances of this preparation a chemical safety assessment has been

carried out:

CAS 67-63-0

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H336 May cause drowsiness or dizziness. H225 Highly flammable liquid and vapour.

H331 Toxic if inhaled. H319 Causes serious eye irritation. H315 Causes skin irritation. H302 Harmful if swallowed.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure ATE = acute toxicity estimate CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EMS = European List of Notified Chemical Substances
EMS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform Chemical Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50% LD50 = Median lethal dose

LC0 = lethal concentration, 0% LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative

16,3 Other information

Classification procedure



Article number 141265, 101358, 141302, 1412650V, 1412650VC1

Beco Technic GmbH

21502 Geesthacht

Date printed 21.04.2023, Revision 21.04.2023

Version 2.0. Supersedes version: 1.0

: 1.0 Page 13 / 13

Modified position

SECTION 2 been added: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 2 been added: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 2 been added: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Copyright: Chemiebüro®



